

Oracle AutoVue

Release Notes

Release 21.0.2.9

E97712-10

March 2024

Oracle AutoVue Release Notes, Release 21.0.2.9

E97712-10

Copyright © 1999, 2024, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface	v
Audience.....	v
Documentation Accessibility	v
Related Documents	v
Conventions.....	vi
1 About Oracle AutoVue 21.0.2.9	
1.1 AutoVue Product Line	1-1
1.1.1 AutoVue Client/Server Deployment.....	1-1
1.1.2 AutoVue for Agile PLM.....	1-1
1.1.3 AutoVue Desktop Deployment.....	1-1
1.2 Application User License.....	1-1
1.3 System Requirements.....	1-2
1.3.1 Server Platforms	1-2
1.3.2 Client Platforms	1-3
1.3.3 Application Servers	1-3
1.3.4 Integrations	1-4
1.3.5 AutoVue for Agile PLM Integration Components	1-4
2 What's New	
2.1 Important.....	2-1
2.2 Enhancements during RUP Releases	2-1
2.2.1 Updates for R21.0.2.9.....	2-1
2.2.1.1 General Enhancements	2-1
2.2.1.2 Format Enhancements	2-2
2.2.1.3 De-supported Formats	2-2
2.2.2 Updates for R21.0.2.8.....	2-3
2.2.2.1 General Enhancements	2-3
2.2.2.2 Format Enhancements	2-3
2.2.3 Updates for R21.0.2.7.....	2-4
2.2.3.1 General Enhancements	2-4
2.2.3.2 Format Enhancements	2-4
2.2.3.3 Deprecated Format	2-5
2.2.4 Updates for R21.0.2.6.....	2-5
2.2.4.1 General Enhancements	2-5

2.2.4.2	Format Enhancements	2-6
2.2.5	Updates for R21.0.2.5	2-6
2.2.5.1	Format Enhancements	2-6
2.2.6	Updates for R21.0.2.4	2-7
2.2.6.1	General Enhancements	2-7
2.2.6.2	Format Enhancements	2-7
2.2.7	Updates for R21.0.2.3	2-8
2.2.7.1	General Enhancements	2-8
2.2.7.2	Format Enhancements	2-8
2.2.8	Updates for R21.0.2.2	2-9
2.2.8.1	General Enhancements	2-9
2.2.8.2	Format Enhancements	2-9
2.2.9	Updates for R21.0.2.1	2-10
2.2.9.1	General Enhancements	2-10
2.2.9.2	Format Enhancements	2-11
2.2.9.3	API Changes	2-13
2.2.9.4	De-supported INI Options	2-14
2.2.9.5	Deprecated and De-supported Functionality	2-14
2.2.9.6	De-supported Platforms	2-14
2.3	Known Issues	2-14

3 What's New – 21.0.1

3.1	Major Enhancement – New Applet-Free AutoVue Solution	3-1
3.1.1	Applet API vs. New API	3-2
3.2	General Enhancements	3-2
3.2.1	General Enhancements for AutoVue Release 21.0.1.5	3-3
3.3	Format Enhancements	3-3
3.3.1	MCAD Formats	3-3
3.3.2	AEC Formats	3-5
3.3.3	EDA Formats	3-5
3.3.4	Desktop/Office Formats	3-5
3.4	Documentation Updates	3-6
3.5	De-supported INI Options	3-6
3.6	Deprecated and De-supported File Formats/Version	3-6
3.7	Deprecated and De-supported Functionality	3-6
3.8	De-supported Platforms	3-6
3.9	Known Issues	3-7

A Feedback

A.1	General AutoVue Information	A-1
A.2	Oracle Customer Support	A-1
A.3	My Oracle Support AutoVue Community	A-1
A.4	Sales Inquiries	A-1

Preface

The Oracle AutoVue line of products includes AutoVue for Agile PLM, AutoVue Client/Server Deployment, and AutoVue Desktop Deployment.

For the most up-to-date version of this document, go to the AutoVue Documentation Web site on the Oracle Technology Network (OTN) at

<https://www.oracle.com/technetwork/documentation/autovue-091442.html>.

Audience

This document is intended for administrators and integrators of the Oracle AutoVue products.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at

<https://www.oracle.com/us/corporate/accessibility/index.html>

Access to Oracle Support

Oracle customers who have purchased support have access to electronic support through My Oracle support. For information, visit

<https://www.oracle.com/us/corporate/accessibility/support/index.html#info>
or visit

<https://www.oracle.com/us/corporate/accessibility/support/index.html#trs> if you are hearing impaired.

Related Documents

For more information, see the following documents in the Oracle AutoVue documentation library on OTN:

1. Oracle AutoVue Installation and Configuration Guide (Client/Server Deployment, Desktop Deployment, and AutoVue for Agile PLM)
2. Oracle AutoVue Viewing and Configuration Guide (Client/Server Deployment, Desktop Deployment, and AutoVue for Agile PLM)
3. Oracle AutoVue User Manual (Client/Server Deployment, Desktop Deployment, and AutoVue for Agile PLM)
4. Oracle AutoVue Security Guide
5. Oracle AutoVue Planning Guide
6. Oracle AutoVue Testing Guide

7. Oracle AutoVue Supported File Formats
8. Oracle AutoVue Planning Variations
9. Oracle AutoVue Acknowledgments

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

About Oracle AutoVue 21.0.2.9

This chapter provides important information about the 21.0.2, 21.0.2.1, 21.0.2.2, 21.0.2.3, 21.0.2.4, 21.0.2.5, 21.0.2.6, 21.0.2.7, 21.0.2.8, and 21.0.2.9 releases of Oracle AutoVue.

1.1 AutoVue Product Line

The Oracle AutoVue line of products includes AutoVue Client/Server Deployment, AutoVue for Agile PLM, and AutoVue Desktop Deployment.

1.1.1 AutoVue Client/Server Deployment

Oracle AutoVue Client/Server Deployment (CS) has AutoVue installed on a server, to which client machines connect to access and view documents. The Client/Server deployment provides a complete, open and standards-based set of integration tools that allows customers to tie AutoVue to any enterprise applications. AutoVue provides users with a consistent view of data and business objects and expanded workflow automation to document-based processes.

1.1.2 AutoVue for Agile PLM

Oracle AutoVue for Agile PLM is an Enterprise Visualization solution designed to provide viewing, digital annotation and collaboration capabilities to Agile PLM. Oracle AutoVue delivers visualization capabilities for many document types, including business documents such as Office and Graphics, as well as technical document types such as 2D/3D Computer Aided Design (CAD) and Electronic Design Automation (EDA). Hence, one of the main benefits of AutoVue for Agile PLM is that users can view numerous file types stored in Agile PLM without having the native application that created the file installed on their desktop machines. Another advantage of AutoVue for Agile PLM is that it decreases bandwidth requirements and improves response time through the use of streaming files. Streaming files contain file data and provide the benefit that AutoVue for Agile PLM can access the streaming files much faster than it can native files.

1.1.3 AutoVue Desktop Deployment

Oracle AutoVue Desktop Deployment (DD) is a solution for users who want to run AutoVue locally as a personal productivity tool on their individual desktops.

1.2 Application User License

1. Oracle AutoVue includes a Desktop Deployment and a Client/Server Deployment. For Application User licensing metric (in the Component licensing model) or Custom Suite User licensing metric (in the Custom Applications Suite licensing model), a single license cannot be split or shared between two users (e.g., one user using the AutoVue Desktop

Deployment and a different user using the Client/Server Deployment would require two licenses).

2. For the purposes of the following programs: Oracle AutoVue Office, Oracle AutoVue 2D Professional, Oracle AutoVue 3D Professional Advanced, Oracle AutoVue Professional, Oracle AutoVue Electro-Mechanical Professional, Oracle AutoVue 2D Professional for Agile and Oracle AutoVue Electro-Mechanical Professional for Agile a user external to your company who participates in and attends an AutoVue Real-Time Collaboration session or AutoVue web conference, but neither initiates nor hosts it, is not required to be separately licensed. All users within your company must be licensed.
3. Customers who wish to make use of Oracle's AutoVue Enterprise Visualization solutions within their Oracle Agile PLM environment must use the Oracle AutoVue for Agile visualization products, as they have been specifically designed to work with Oracle Agile PLM. The appropriate Oracle AutoVue for Agile visualization products can be downloaded from the Oracle Software Delivery Cloud under Oracle Agile Applications product packs.

1.3 System Requirements

This sections details system requirements for the Oracle AutoVue line of products and integrations.

1.3.1 Server Platforms

The following platforms are certified for AutoVue installation and/or hosting:

Table 1–1 Oracle-Certified Operating Systems

Platform	AutoVue for Agile PLM	AutoVue Client/Server Deployment ¹	AutoVue Desktop Deployment
Windows Server 2022—64-bit (AutoVue running in 32-bit)	x	x	
Windows Server 2019—64-bit (AutoVue running in 32-bit)	x	x	
Windows Server 2016—64-bit (AutoVue running in 32-bit)	x	x	
Windows Server 2012—64-bit (AutoVue running in 32-bit mode)			
Windows 11,10—64-bit (AutoVue running in 32-bit mode)			
Oracle Linux 8.x (x86_64) 64-bit (AutoVue running in 32-bit mode)	x	x	
Oracle Linux 6.X (x86_64), 7.X (x86_64) 64-bit (AutoVue running in 32-bit mode)	x	x	
Red Hat Enterprise Linux 8.x (x86_64) 64-bit (AutoVue running in 32-bit mode)	x	x	
Red Hat Enterprise Linux 6.X (x86_64), 7.X (x86_64) 64-bit (AutoVue running in 32-bit mode)	x	x	

¹ The installation requires about 400MB of free space. Additional space will be required by AutoVue for storing other data such as streaming files and markups.

1.3.2 Client Platforms

The following platforms are certified for the AutoVue client.

Table 1–2 Oracle-Certified Client Platforms

Platform	AutoVue for Agile PLM	AutoVue Client/Server Deployment
Windows OSes: Windows 11— 64-bit Windows 10— 64-bit 1. Firefox ESR 115.8.0 ¹ 2. Microsoft Edge 122 ¹ 3. Chrome 122 ¹	x	x
Apple Mac OS 14.3.1 1. Safari 17.3.11 ¹ 2. Safari 16.6.11 ¹ 3. Firefox ESR 115.8.0 ¹ Apple Mac OS 13.6.4 1. Safari 17.3.11 ¹ 2. Safari 16.6.11 ¹ 3. Firefox ESR 115.8.0 ¹	x	x
Java Virtual Machine		
1. Java SE 8 update 401 - 32-bit and 64-bit	x	x

¹ See the the Oracle Software Web Browser Support Policy:
<https://www.oracle.com/middleware/technologies/browser-policy.html>

1.3.3 Application Servers

The VueServlet has been certified on the following application servers:

Table 1–3 Oracle-Certified Application Servers

Platform	Version
WebLogic	12cR2 [12.2.1.4.0]
Tomcat	8.5.99, 9.0.89 and 10.1.19 Note: If you are using Tomcat 10 to deploy VueServlet, add the following in conf\Catalina\localhost\VirtualStore.xml or conf\context.html: <pre><Context> ... <Loader jakartaConverter="TOMCAT" /> </Context></pre>
Jetty	9.4.53

1.3.4 Integrations

The following integrations have been certified for this release of AutoVue.

Table 1–4 Oracle-Certified Integrations

Integrations	AutoVue for Agile PLM	AutoVue Client/Server Deployment
Agile PLM 9.3.6 (RUP 8 and later), and 9.3.5 (RUP 8 and later)	x	
Vuelink 19.3.2 for Documentum ¹		x
Oracle Vuelink for WCC ²		x

¹ New VueLink for Documentum certifications made after this release of AutoVue are listed in Oracle Support Document [1425804.1](#) (VueLink for Documentum Certification Matrix)

² New VueLink for UCM certifications made after this release of AutoVue are listed in Oracle Support Document [1383416.1](#) (Oracle AutoVue VueLink for UCM Certification Matrix) found at: <https://mosemp.us.oracle.com/epmos/faces/DocumentDisplay?id=1383416.1>

1.3.5 AutoVue for Agile PLM Integration Components

AutoVue for Agile PLM integration components can be installed on the following OSes:

1. Oracle Solaris (SPARC64, x86-64)
2. Linux (Oracle, Red Hat Enterprise, SUSE)
3. Microsoft Windows
4. HP-UX Itanium
5. IBM AIX (POWER)

For supported versions, refer to the "Agile Product Lifecycle Management Capacity Planning Guide" on OTN

<https://www.oracle.com/technetwork/documentation/agile-085940.html>

This chapter lists the major changes that were introduced in Releases 21.0.2, 21.0.2.1, 21.0.2.2, 21.0.2.3, 21.0.2.4, 21.0.2.5, 21.0.2.6, 21.0.2.7, 21.0.2.8, and 21.0.2.9 of Oracle AutoVue. In addition, this chapter also lists the new and upgraded formats for Releases 21.0.2, 21.0.2.1, 21.0.2.2, 21.0.2.3, 21.0.2.4, 21.0.2.5, 21.0.2.6, 21.0.2.7, 21.0.2.8, and 21.0.2.9. Known issues that are applicable for all the releases are provided. All formats upgrades and bug fixes that were done in the Roll-Up Patches (RUPs) of 21.0.2.1, 21.0.2.2, 21.0.2.3, 21.0.2.4, 21.0.2.5, 21.0.2.6, 21.0.2.7, and 21.0.2.8 are included in AutoVue Release 21.0.2.9.

2.1 Important

Oracle is extending premier support to the Oracle AutoVue 21.0.0 series, which includes AutoVue 21.0.1 and 21.0.2, up till June 2024. This is applicable to all Oracle AutoVue users on maintenance.

2.2 Enhancements during RUP Releases

This section outlines the information you need to know about the improved functionality of AutoVue during the RUP releases of 21.0.2.

2.2.1 Updates for R21.0.2.9

The updates for R21.0.2.9 includes the following:

- General Enhancements
- Format Enhancements

Note: Customers need to download GA Patch BUG #35006436 from ARU.

2.2.1.1 General Enhancements

In an effort to continually improve AutoVue's performance and functionality the following general enhancements have been implemented:

1. AutoVue server is certified with JRE 8u401 32Bit.
2. The following third party libraries are upgraded for AutoVue Release 21.0.2.9:
 - Log4j 2.22.1
 - Zlib 1.3
 - Libtiff 4.6.0

- ⊗ Libpng 1.6.40
 - ⊗ OpenJPEG 9e
 - ⊗ Freetype 2.13.1
 - ⊗ Jackson 2.15.3
 - ⊗ Jetty 9.4.53
 - ⊗ JOGL 2.5.0
 - ⊗ Slf4j 2.0.10
 - ⊗ Woodstox-core 6.5.1
 - ⊗ Stax2-api 4.2.2
 - ⊗ Xerces to version 3.2.4
3. Web Services and ISDK media are delivered as zipped packages in 21.0.2.9:
- ⊗ The name of the Web Services media is AutoVue_Web_Services.zip
 - ⊗ The name of the ISDK media is IntegrationFramework-SDK.zip

2.2.1.2 Format Enhancements

AEC Formats

- ⊗ Added support for AutoCAD version 2024 files
- ⊗ Added support for AutoCAD Mechanical version 2024 files

Desktop/Office Formats

- ⊗ Improved support for PDF fonts

MCAD Formats

- ⊗ Support for AutoDesk Inventor version 2024 files.
- ⊗ Support for CATIA V5-6R2023 (R33)
- ⊗ Support for Creo files version 10
- ⊗ Support for Revit 2024 (through conversion)
- ⊗ Support for Unigraphics NX-2212 and NX-2306 Series 3D files
- ⊗ Support for JT 10.9 files
- ⊗ Support for Parasolid 35.0 and 35.1 files
- ⊗ Improved support for Creo 2D files

2.2.1.3 De-supported Formats

The following are de-supported for R21.0.2.9 release:

- ⊗ Visio format
- ⊗ Office binary formats (Word, Excel and PowerPoint). As an alternative, use the Office XML format for Word, Excel and PowerPoint.
- ⊗ HPGL/PCL formats
- ⊗ ME10/CoCreate Drafting/OneSpace Designer Drafting/Creo Element Direct Drafting formats.

2.2.2 Updates for R21.0.2.8

The updates for R21.0.2.8 includes the following:

- » General Enhancements
- » Format Enhancements

Note: Customers need to download GA Patch BUG #35006150 from ARU.

2.2.2.1 General Enhancements

In an effort to continually improve AutoVue's performance and functionality the following general enhancements have been implemented:

1. AutoVue server is certified with JRE 8u361.
2. The following third party libraries are upgraded for AutoVue Release 21.0.2.8:
 1. Freetype 2.12.1
 2. Jackson 2.14.1
 3. Jetty 9.4.48
 4. Log4j 2.19.0
 5. Libtiff 4.5.0
 6. Openjpeg 2.5.0
 7. Slf4j 1.7.36
 8. Zlib 1.2.13
3. Certify Windows Server 2022 for AutoVue Server and Windows 11 for AutoVue client.
4. Ensure the correct version of WINE is installed: If installing on a Linux OS, make sure you have the correct version of WINE installed. The version of WINE compatible with AutoVue 21.0.2.8 is wine-av-20040914-27.i386.rpm. You can download this version of WINE from <https://oss.oracle.com/AutoVue>.

2.2.2.2 Format Enhancements

AEC Formats

- » Support for AutoCAD 2023 and AutoCAD Mechanical 2023 files
- » General bug fixes for AutoCAD and MicroStation files

Desktop/Office Formats

- » General bug fixes for PDF, Microsoft Word, JPEG2000 files

MCAD Formats

- » Support for Unigraphics NX-2007, NX-2206 Series 3D files
- » Support for Inventor 2023
- » Support for SolidEdge 2022
- » Support for SolidWorks 2022
- » Support for Catia V5-6R2022 (R32)
- » Support for Creo 9.0

- » Support for Revit 2023 (through conversion)
- » Support for JT 10.6 files
- » Support for Parasolid 34.1 files
- » General bug fixes for Creo 2D files
- » General bug fixes for SolidWorks 2D files

2.2.3 Updates for R21.0.2.7

The updates for R21.0.2.7 includes the following:

- » General Enhancements
- » Format Enhancements

Note: Customers need to download GA Patch BUG #32887033 from ARU.

2.2.3.1 General Enhancements

In an effort to continually improve AutoVue's performance and functionality the following general enhancements have been implemented:

1. AutoVue server is certified with JRE 8u321

Note: Customers have to apply Patch# 33749586.

2. The following third party libraries are upgraded for AutoVue Release 21.0.2.7:

1. Log4j 2.17.1

Note: Customers have to apply Patch# 33713848.

2. Jetty 9.4.45

3. Slf4j 1.7.35

2.2.3.2 Format Enhancements

AEC Formats

- » Support for AutoCAD 2022 and AutoCAD Mechanical 2022 files
- » Added support for Strikethrough text for AutoCAD files
- » General bug fixes for AutoCAD files
- » General bug fixes for MicroStation files

Desktop/Office Formats

- » General bug fixes for Microsoft Word files

EDA Formats

- » General bug fixes for Altium Designer files

MCAD Formats

- » Support for Unigraphics NX-1980 Series 3D files
- » Support for Inventor 2022
- » Support for Catia V5-6R2021 (R31)
- » Support for Creo 8.0
- » General bug fixes for Creo 3D files
- » General bug fixes for SolidWorks 2D and Inventor 2D files

2.2.3.3 Deprecated Format

Support for the following formats has been deprecated:

- » Microsoft office binary files, this includes Word 2000, 97, 95, 7, and 6, and the following:
 - Word extension DOC
 - PowerPoint extension PPT
 - Excel extensions XLS, XLT, and XLW

2.2.4 Updates for R21.0.2.6

The updates for R21.0.2.6 includes the following:

- » General Enhancements
- » Format Enhancements

Note: Customers need to download GA Patch BUG #30976071 from ARU.

2.2.4.1 General Enhancements

In an effort to continually improve AutoVue's performance and functionality the following general enhancements have been implemented:

1. AutoVue server is certified with JRE 8u281
2. Support for Linux 8
 1. Oracle Linux 8.x (x86_64) 64-bit (AutoVue running in 32-bit mode)
 2. Red Hat Enterprise Linux 8.x (x86_64) 64-bit (AutoVue running in 32-bit mode)

Note: If installing on a Linux OS, make sure you have the correct version of WINE installed. The version of WINE compatible with AutoVue 21.0.2.6 is wine-av-20040914-26.i386.rpm. You can download this version of WINE from <https://oss.oracle.com/AutoVue>.

3. The following third party libraries are upgraded for AutoVue Release 21.0.2.6:
 1. Freetype 2.10.4
 2. Jackson libs 2.12.1
 3. Jetty server 9.4.40
 4. Libjpeg 9d
 5. Libpng 1.6.37

6. Libtiff 4.2.0
 7. Log4j 2.14.0
 8. Openjpeg 2.4.0
 9. Slf4j 1.7.30
 10. Stax2-api 4.2.1
 11. Woodstox-core 6.2.4
 12. Xerces-c 3.2.3
4. The version of WINE compatible with AutoVue 21.0.2.6 is wine-av-20040914-26.i386.rpm.

2.2.4.2 Format Enhancements

AEC Formats

- ⌘ General bug fixes for AutoCAD files

Desktop/Office Formats

- ⌘ General bug fixes for Microsoft Word and Microsoft Excel files

EDA Formats

- ⌘ Support for Cadence Allegro 17.4
- ⌘ Support for Cadence OrCAD Capture 17.4
- ⌘ Support for Cadence ConceptHDL 17.4
- ⌘ General bug fixes for OBD++ and GDSII files

MCAD Formats

- ⌘ Support for Unigraphics NX-1926 and NX-1953 Series 3D files
- ⌘ Support for SolidWorks 2021
- ⌘ Support for SolidEdge 2021
- ⌘ General bug fixes for Creo 3D files
- ⌘ General bug fixes for SolidWorks 2D and Inventor 2D files

2.2.5 Updates for R21.0.2.5

The R21.0.2.5 release consists of some major format enhancements.

Note: Customers need to download GA Patch BUG #30975580 from ARU.

2.2.5.1 Format Enhancements

AEC Formats

- ⌘ Support for AutoCAD 2021 files
- ⌘ Support for AutoCAD Mechanical 2021 files
- ⌘ General bug fixes for AutoCAD files

- » General bug fixes for MicroStation files

Desktop/Office Formats

- » General bug fixes for PDF files

MCAD Formats

- » Support for Unigraphics NX1899 Series 3D files
- » Support for Catia V5-6 R2020 (R30)
- » Support for Inventor 2021 files
- » Support for Creo 7.0 files
- » Support for Revit 2021 files (through conversion)
- » General bug fixes for Catia V5-6 2D files
- » General bug fixes for Creo 2D files
- » General bug fixes for SolidWorks 2D files
- » General bug fixes for Creo and Solidworks 3D formats

2.2.6 Updates for R21.0.2.4

The updates for R21.0.2.4 include the following:

- » General Enhancements
- » Format Enhancements

Note: Customers need to download GA Patch BUG #30390713 from ARU

2.2.6.1 General Enhancements

In an effort to continually improve AutoVue's performance and functionality the following general enhancements have been implemented:

1. Improved the printing of markups.
2. The Oracle certificate expiry date for the client jars has been updated.
3. Improved the sorting algorithm for Pen settings

2.2.6.2 Format Enhancements

AEC Formats

- » General bug fixes for AutoCAD files

Desktop/Office Formats

- » General bug fixes for PDF files
- » General bug fixes for MS-Word files

MCAD Formats

- » Support for Unigraphics NX1872
- » Support for SolidEdge 2020
- » Support for Catia V5-6 R2019

- ⌘ Support for Creo 6.0 files
- ⌘ Support for SolidWorks 2020 files
- ⌘ General bug fixes for Catia V5-6 2D files
- ⌘ General bug fixes for Creo 3D files
- ⌘ General bug fixes for Inventor 3D files
- ⌘ General bug fixes for Solidworks 3D formats

Raster Formats

General bug fixes for the Intergraph CIT format

2.2.7 Updates for R21.0.2.3

The updates for R21.0.2.3 include the following:

- ⌘ General Enhancements
- ⌘ Format Enhancements

Note: Customers need to download GA Patch BUG #29200734 from ARU.

2.2.7.1 General Enhancements

In an effort to continually improve AutoVue's performance and functionality the following general enhancements have been implemented:

1. Support for Windows Server 2019
2. Improved security for VueServlet

2.2.7.2 Format Enhancements

AEC Formats

- ⌘ General bug fixes for TIFF files

Desktop/Office Formats

- ⌘ Support for Office 2013 to 2019 (Excel, PPT and Word)
- ⌘ General bug fixes for MS-Excel files

EDA Formats

- ⌘ Added support for ODB++ version 8
- ⌘ General bug fixes for ODB++ files
- ⌘ General bug fixes for EDIF files

MCAD Formats

- ⌘ Support for Inventor 2020 files
- ⌘ Support for Catia V5-6 R2019
- ⌘ Support for Creo 6.0 files
- ⌘ Support for SolidWorks 2020 files
- ⌘ General bug fixes for Catia V5-6 2D files

- ⊠ General bug fixes for Creo 3D files
- ⊠ General bug fixes for Inventor 3D files
- ⊠ General bug fixes for Solidworks 3D formats

2.2.8 Updates for R21.0.2.2

The updates for R21.0.2.2 include the following:

- ⊠ General Enhancements
- ⊠ Format Enhancements

Note: Customers need to download GA Patch BUG #29200727 from ARU

2.2.8.1 General Enhancements

In an effort to continually improve AutoVue's performance and functionality the following general enhancements have been implemented:

1. Support for Safari 11 and 12
2. Updated the Vuelinkcore.jar to avoid conflicts with the ESAPI.properties files used by other parties - AutoVue uses the AVESAPI.properties files by default
3. Added the content length in the HTTP responses of the Rendez-Vous servlet (VueRDVServlet.jar)
4. Improved the AutoVue installer to enable the large address aware flag by default.
5. Upgraded the following third party libraries:
 - ⊠ Xerces version 3.2.2
 - ⊠ Freetype version 2.10.0
 - ⊠ log4j version 2.11.2
 - ⊠ openjpeg version 2.3.1
 - ⊠ jsonrpc4j version 1.5.3
 - ⊠ jetty version 9.4.18
 - ⊠ jackson version 2.9.8
 - ⊠ woodstox-core version 5.2.0
 - ⊠ stax2-api version 4.2
6. New streaming files have to be generated for RUP 21.0.2.2.

2.2.8.2 Format Enhancements

AEC Formats

Enhancements for AutoCAD

- ⊠ Added support for AutoCAD 2020
- ⊠ Added support for AutoCAD Mechanical 2020
- ⊠ Improved the support for nested layer visibility in DWG files (Bug 28366917)
- ⊠ Improved support for TTF text formatting for AutoCAD files

- ⊠ Improved support for Block attributes for AutoCAD 2018 and up files
- ⊠ Improve performance when drawing dense hatching.

Note: Limited the number of dash patterns to 1000. Dense hatching will lose their patterns if they have more than 1000 dash patterns.

Enhancements for MicroStation

- ⊠ Improved the position of nested records in MicroStation files
- ⊠ Improved the position of nested records in MicroStation files

Desktop/Office Formats

- ⊠ Improved the rendering of text in Word files
- ⊠ Improved the support for the overprint feature in PDF files

MCAD Formats

- ⊠ Improved the support for the Bookmark tree nodes order for SolidWorks part files with multiple configurations
- ⊠ Improved support for visibility of bodies in SolidEdge Assemblies
- ⊠ Improved support for SolidWorks configurations
- ⊠ Invalidated the streaming files generated by previous versions of AutoVue for 3D files (Except DWF3D)
- ⊠ General bug fixes for 3D formats

2.2.9 Updates for R21.0.2.1

Note: Customers need to download GA Patch BUG #29200701 from ARU.

The updates for R21.0.2.1 include the following:

- ⊠ General Enhancements
- ⊠ Format Enhancements
- ⊠ Deprecated Format
- ⊠ Deprecated Functionality

2.2.9.1 General Enhancements

In an effort to continually improve AutoVue's performance and functionality the following general enhancements have been implemented:

1. This RUP release includes enhancements to make AutoVue accessible. Here are some of the enhancements:
 - Keyboard navigation is now enabled in many user interfaces of AutoVue
 - JAWS reader works in some user interfaces of AutoVue
2. Upgrade for third-party libraries: Libpng 1.6.35, libjpeg 9c, and openjpeg 2.3.0.
3. The **Force to Black** option works at any zoom level.

4. Accurate generation of the licenses usage in the licusage.out file.
5. Support for rendez-vous solution in SSL mode and non-SSL modes. This is an alternative to the loopback solution that is being deprecated in AutoVue 21.0.2. Setting up the localhost certificate in SSL mode is no longer needed for the communication between the browser and the AutoVue Client.
6. Support for Windows server 2016.
7. Support for Microsoft Edge.
8. Improved the logging in AutoVue by upgrading the log4j to version 2.
9. Multipage TIFF wheel behavior change: Added page scrolling support for multipage TIFF files.
10. Changed watermark color to light gray.
11. Improved the support for multi-line watermarks.
12. Improved conversion to PDF. AutoVue no longer adds a margin to the converted PDF output.
13. Improved the wine RPM installer: In the new version of the wine RPM package, a list of dependencies have been included in the installer which simplifies AutoVue installation on Linux. For more information, see the Oracle AutoVue Client/Server Deployment Installation Guide.
14. Improved the printing of 3D mutli-page files.
15. Improved streaming file validation.
16. New configuration parameters have been added on both the AutoVue Server side and the Vuelink side to specify the cryptography algorithms that is required to meet the new security standards. The two configuration parameters introduced on the AutoVue Server side in the jvueserver.properties configuration file are – jvueserver.encryption.algorithm, and jvueserver.encryption.keyagreement.algorithm. The two initialization parameters introduced on the Vuelink servlet descriptor in the web configuration file (web.xml) are – DecryptionAlgorithm and KeyAgreementAlgorithm.

2.2.9.2 Format Enhancements

This section lists format enhancements.

2.2.9.2.1 MCAD Formats

- ▣ Enhancements for Creo Parametric:
 - Support for Creo versions 4.0 and 5.0 files.
 - Improved support for Annotation balloon symbols in Creo 2D files.
 - Improved the notification for Creo 2D files for Display-list handling. Possible messages in the "File Properties" dialog are:
 - * No display list saved.
 - * Display list is not up to date, File is displayed using native data.
 - * Display List Saved.
 - General bug fixes
- ▣ Enhancements for AutoDesk Inventor:
 - Added support for AutoDesk Inventor version 2017, 2018, and 2019 files

- Improved support for spline entities, rendering of Weldment symbols, hatching, text rendering, and Notes in 2D files
- Improved the reading of file extents in Inventor 2D files
- Fixed the missing links of 3D associated files to Inventor 2D files
- General bug fixes
- ⊠ Improved 3D attributes search for 3D formats
- ⊠ Support for Semantic PMI in STEP files
- ⊠ Added support for compressed STEP files (STPZ)
- ⊠ Added support for STEP AP 242 format
- ⊠ Support for Parasolid files upto version 31
- ⊠ Support for SolidEdge versions ST9, ST10, and 2019 files
 - General bug fixes in SolidEdge 2D files
- ⊠ Support for Unigraphics versions NX11.0, and NX12.0 3D files
- ⊠ JT Enhancements
 - Added support for attributes
 - Improved accuracy for Massproperties
 - General bug fixes
 - Added support for DirectModel (JT) 10.2 version
- ⊠ SolidWorks Enhancements
 - Support for SolidWorks versions 2017, 2018, and 2019
 - Configuration rendering enhancements
 - Improved support for SolidWorks units and 2D Views
 - General bug fixes for SolidWorks 2D files
- ⊠ CATIA V5-6 Enhancements
 - Added support for Catia V5-6 R2016 (R26), Catia V5-6 R2017 (R27), and Catia V5-6 R2018 (R28) files
 - Enhancements to embedded image scaling
 - Improved Text Alignments and positions
 - Improved support for projected edges
 - General bug fixes
- ⊠ General bug fixes for 3D formats
- ⊠ Added support for Revit 2019 files

2.2.9.2.2 AEC Formats

- ⊠ Enhancements for MicroStation
 - Improved the support for bookmarks
 - Improved Linestyle support
 - General bug fixes

- ⊠ Enhancements for AutoCAD
 - Support for AutoCAD 2018, and 2019
 - Support for AutoCAD Mechanical 2018, and 2019
 - Improved support for projection views, and the display of diameter symbols
 - Enhanced MetaFile (EMF)
 - General bug fixes
 - General bug fixes for TIFF files

2.2.9.2.3 EDA Formats

- ⊠ Added support for Allegro 17.2
- ⊠ Added support for Cadence 17.2
- ⊠ Added support for OrCAD Capture 17.2

2.2.9.2.4 Desktop/Office Formats

- ⊠ Enhancements for PDF files:
 - Improved the rendering speed for PDF files with embedded images
 - Improved text rendering in PDF files
 - Improved support for portfolios files, and image transparency
 - Improved conversion to PDF files with all the correct markups and without adding margins
 - General bug fixes
- ⊠ Improved table border rendering in MS-Word
- ⊠ General bug fixes for:
 - Microsoft Word
 - Microsoft Excel

2.2.9.3 API Changes

The following are the API changes:

- ⊠ Added the following new Javascript API:
 - saveActiveMarkup
 - checkModifiedMarkups (synchronous mode)
 - VuePrintEvent. There is a new flag in the events filtering (0x10)
- ⊠ Added Pen-Settings support to the printing API
- ⊠ Removed the Cancel button from the Markup Save Dialog
- ⊠ Added a "Print-Cancel" event when user cancels a script printing command within the print dialog.
- ⊠ Changed the cancel flow of the markup save to return to the previous dialog if user cancels the save instead of filling the markup save information.
- ⊠ Added Events to indicate whether printing is complete or not.

- ⌘ JavaDocs: Updated the docs to point to the possible values of modes in the methods setModes, getModes, enableMode, disableMode and isModeEnabled.

2.2.9.4 De-supported INI Options

The following INI options have been de-supported:

- ⌘ AILOADNATIVE2D
- ⌘ Removed jvueserver.NTLM.enable from jvueserver.properties file

2.2.9.5 Deprecated and De-supported Functionality

Oracle AutoVue will no longer support some functionalities which had very limited usage and low demand from our customers. This will allow Oracle AutoVue to focus development efforts on functionalities which are more important to our customers. The following functionalities are de-supported/deprecated in this release:

- ⌘ Deprecated the loopback communication mechanism between the AutoVue client and the browsers. Use the rendez-vous solutions as an alternative.
- ⌘ Deprecated the methods setInternalData() / getInternalData.
- ⌘ De-supported the setFileThreaded API.
- ⌘ De-support for the HTTP client authentication protocol.
- ⌘ Removed support for UNC and NTLM authentication protocol.
- ⌘ De-support for 3D-background images.
- ⌘ Removed Jetty 6 sample that ships with AutoVue (due to security reasons).
- ⌘ Removed the servlet process within AutoVue multiprocess server. The servlet engine process button has been removed from the UI server console.
- ⌘ AutoVue Client Parameters are not supported anymore as initialization parameters in the servlet descriptor of VueJNLPServlet within the web configuration file (web.xml). They must be supported using the 4th argument (INIT_PARAMS) of AutoVue JavaScript object.
- ⌘ De-supported Outlook msg format in Release 21.0.2.

2.2.9.6 De-supported Platforms

The following platform is de-supported:

- ⌘ Java 7

2.3 Known Issues

Some of the known issues include:

1. AutoVue does not support Creo Parametric (Pro/ENGINEER) drawings that do not contain display lists. Ensure that you save Creo Parametric (Pro/ENGINEER) drawings with display lists for all the sheets.

A warning message is displayed in AutoVue stating "Cannot display the ProE 2D file that does not have display list!". If the display list is not up to date, AutoVue displays a warning "Display list is not up to date" in the **File > Properties** dialog.

To save display lists in Creo, do the following:

1. In Creo Parametric (Pro/ENGINEER), select **File > Options > Configuration Editor**.

2. In the dialog that appears, set the option **save_display** to **Yes**, and then save your changes.

Note: For further information, see the Creo documentation.

2. In AutoVue 21.0.2, Jetty application that is installed with AutoVue has been removed. If you were using this Jetty application to deploy the online help or the VueServlet in previous AutoVue versions, you need to use either an up-to-date version of Jetty or another secure application server in AutoVue 21.0.2. See the *Oracle AutoVue Installation and Configuration Guide* or call Oracle support if you need help deploying the AutoVue Online Help files or the VueServlet.
3. Files names with URL reserved characters are not supported by AutoVue server. The file name is properly transmitted to AutoVue with Rendez-Vous request format set to URL encoding. Even though, the server receives these file names properly, the file is not opened in AutoVue.
4. Frame size is not supported for the AutoVue Applet-free Client: Earlier, the integrators could specify the applet frame size when launching AutoVue Client as an applet. This feature is no longer available in the AutoVue applet-free client, since AutoVue starts separately through Java Web Start. The feature will be available in the next release of AutoVue.
5. AutoVue 21.0.2 works only with Java 8.
6. AutoVue client version 21.0.1 and up (RUP releases ie AutoVue Releases 21.0.1.x), implemented through the loopback solution, will not start in SSL mode when launched from Firefox 60.x and up.

The loopback communication mechanism between Chrome version 84 and up and AutoVue client doesn't work anymore. This is due to the new cookies security restrictions on cross-site navigation introduced in Chrome. It is recommended that you upgrade to AutoVue 21.0.2 and use the rendez-vous communication mechanism instead.

Note: The loopback feature is deprecated in AutoVue and will be de-supported in future releases of AutoVue.

7. Additional known issues and limitations are provided in the KM Note: [Version-based Limitations - AutoVue Client/Server and Desktop Deployment 21.0.2](#).
8. In this release of AutoVue, ink freehand curves, formulas, 3D models, new charts like Pie, Tree Map, Waterfall, Funnel, Sunburst, Box & Whisker, and Pareto are not displayed in MS-PowerPoint.
9. AutoVue does not display ink freehand curves, new charts like Pie, Tree Map, Waterfall, Funnel, Sunburst, Box&Whisker, Pareto, Map Charts, formulas, and 3D models in MS-Excel.
10. AutoVue does not display freehand curve color and formulas in MS-Word.
11. You may encounter display issues for some Creo 2D drawings. The files saved without a display list will load as blank in AutoVue 21.0.2.4 and up with the following message: "Cannot display the ProE 2D file that does not have display list! Please resave the file in Creo with save_display option set to 'yes'".
12. The correct versions of the system requirements for the Oracle AutoVue line of products and integrations are provided in this document ie the Oracle AutoVue Release Notes 21.0.2.7. This section has not been updated in the following documents:

1. Oracle AutoVue Desktop Deployment Installation and Configuration Guide
2. Oracle AutoVue Integration SDK Overview and Installation Guide
3. Oracle AutoVue Web Services Installation and Developer's Guide
13. While installing wine, in case you get a warning message similar to "Package wine-av-20040914-27.i386.rpm is not signed", apply the "--nogpgcheck" option to disable the GNU Privacy Guard (GPG) signature checking. Following are the examples:
For Linux 6 or 7, use "yum localinstall wine-av-20040914-27.i386.rpm --nogpgcheck"
For Linux 8, use "dnf install wine-av-20040914-27.i386.rpm --nogpgcheck"

What's New – 21.0.1

This chapter lists the major changes that were introduced in Releases 21.0.1, 21.0.1.1, 21.0.1.2, 21.0.1.3, 21.0.1.4, 21.0.1.5, and 21.0.1.6 of Oracle AutoVue. In addition, this chapter also lists the new and upgraded formats for Releases 21.0.1, 21.0.1.1, 21.0.1.2, 21.0.1.3, 21.0.1.4 (no new or upgraded formats for Release 21.0.1.5), and 21.0.1.6. Known issues that are applicable for all the releases are provided.

Note: The Release Update Pack 6 (RUP6) is not a cumulative patch. It requires 21.0.1.4 (RUP4) or 21.0.1.5 (RUP5) to work properly.

The RUPs – 21.0.1.1, 21.0.1.2 and 21.0.1.3 are already included in RUP4 and RUP5. You do not need to install them. However, you do not have to install 21.0.1.4 (RUP4) if you already have 21.0.1.5 (RUP5) installed.

For an up-to-date version of this document, see Oracle Documentation on OTN or contact Oracle Support if you need help.

RUP5 is primarily intended for customers who need to ensure that the third-party libraries used by AutoVue are up-to-date so as to meet compliance requirements. In addition to updated third-party libraries, RUP 5 delivers support for Java 9. For customers who do not need updated libraries nor Java 9, it is recommended to skip RUP5 and wait for the next available version of AutoVue.

Note: You need to install the Microsoft Visual C++ 2015 Redistributable Package for Windows OSes in order for the 3D files to load properly in AutoVue. This is applicable only for RUP4.

Note: If you have recently updated your Linux kernel with the latest security patches and have issues starting the AutoVue server, Oracle recommends deploying the Patch Bug 27496402.

3.1 Major Enhancement – New Applet-Free AutoVue Solution

The AutoVue Client is a Java application that can be started through the Java Web Start framework. This allows AutoVue to run in browsers that no longer support Java Applets. The user still needs to have the Java runtime environment installed, and the browser will then use

the Java Web Start framework to launch the AutoVue client as a separate process that will communicate with the browser to get information such as what file to display.

For information regarding AutoVue client migration, refer to Release 21.0.1 Installation Guide available on OTN at https://docs.oracle.com/cd/E84882_01/otn/pdf/E84697_03.pdf. Additional details are present in the Release 21.0.1 API Guide at https://docs.oracle.com/cd/E84882_01/otn/pdf/E84706_01.pdf.

In the earlier versions, AutoVue client was based on the capabilities provided by Java Applet technology.

Note: Due to security vulnerabilities in browser plugins, which are used to support Java Applets, the Web browser vendors have been deprecating and removing plug-in capabilities to reduce the security risks for web based environments. As this occurs, the pre-21.0.1 AutoVue Client became unusable. As an alternative to Java Applet for release 21.0.1, AutoVue client is now launched using the Web Start technology. The AutoVue client as applet is being deprecated in 21.0.1. For information regarding AutoVue client as applet, refer to Release 21.0.0 documentation:

<https://www.oracle.com/technetwork/documentation/autovue-091442.html>

3.1.1 Applet API vs. New API

In AutoVue applet solution, it was possible for a web custom client to communicate with jVue Class Interface through LiveConnect. The new solution proposes a JavaScript alternative to replace this support without the plug-in. It consists of a JavaScript API sending XML HTTP requests to a JSON-RPC server embedded within AutoVue client to perform the required commands. However, the new JavaScript API does not expose all the functionality that was available in jVue Class. Some simplifications were done on the API. For more information refer to the *Oracle AutoVue API Guide*.

3.2 General Enhancements

In an effort to continually improve AutoVue's performance and functionality the following general enhancements have been implemented:

- Streaming file enhancements for AutoVue Client/Server in an integrated environment.
- Markup scaling of text records saved in older versions of AutoVue.
- Conversion to PDF enhancements.
- Security improvements.
- A new "pen_settings" sub-object has been included in the printFile(printOptions, useDefaultPrinter, frameID) method.
- Updated the java logging library log4j to version 2.9.1 for the AutoVue server¹.
- Re-signed the AutoVue client jars using a new Oracle signing certificate with extended expiry date².
- AutoVue Client Parameters are not supported anymore as initialization parameters in the servlet descriptor of VueJNLPServlet within the web configuration file (web.xml). They

¹ The log4j library version 2.9.1 is applicable for AutoVue Releases 21.0.1.4, and 21.0.1.5.

² Customers need to download GA Patch BUG #27397101 from ARU.

must be supported through the second alternative using the 4th argument (INIT_PARAMS) of AutoVue JavaScript object.

- ⊗ The public API of `com.cimmetry.core.GUIElement` class has been upgraded, specifically, the method `getInternalData` is enhanced to handle multiple data into public String `getInternalData(String key)`.

In the public String `getInternalData(String key)`, the parameter "key" refers to the name of the stored data.

The subclass `com.cimmetry.core.GUIElementEdit` has been updated accordingly.

3.2.1 General Enhancements for AutoVue Release 21.0.1.5

The AutoVue Release 21.0.1.5 includes the following two changes:

- ⊗ Major upgrades to third party libraries used by AutoVue. The following third party libraries of AutoVue Release 21.0.1.5 are upgraded:
 - ⊗ Log4j logging
 - ⊗ Xerces xml parser
 - ⊗ Freetype
 - ⊗ Libpng
 - ⊗ Libtiff
 - ⊗ Openjpeg
 - ⊗ Libjpeg
- ⊗ Support for JRE 9 and the previous patches for 21.0.1.

3.3 Format Enhancements

This section lists format enhancements.

3.3.1 MCAD Formats

- ⊗ Enhancements for Creo Parametric:
 - General bug fixes as regards to dimension and entity display in Creo 2D drawings. Bug fixes for correct display of Creo 3.0 drawings, dimension text and geometric tolerances.
 - PMI enhancements – PMI dimensions like radius, polarity of the PMI entity, PMI measurement leaders, etc are correctly displayed and are as per the native application.
 - By default, the exploded view of ProE is displayed.
 - Added support for Creo 4.0 files³ and Creo 5.0⁴ files.
 - Added support for ProE 2D files³.
 - The Creo 2D⁵ decoder displays the drawings based on the following criteria:
 - * If Display List exists and is up-to-date – Drawings are displayed as per the display list.

³ Customers need to download GA Patch BUG #26029219 from ARU

⁴ Customers need to download GA Patch BUG #27478840 from ARU

⁵ Customers need to download GA Patch BUG #26631825 from ARU

- * If Display List exists and is out-of-date – File is displayed using native data. Also, a message is displayed in the File Properties dialog box indicating that the Display List is out-of-date.
- * If Display List does not exist – File is displayed using native data.

Note: A Display List is considered up-to-date only if the difference in time stamps between the 2D and 3D root file is within one minute or if the 2D file is more recent than the 3D file.

- » Enhancements for Autodesk Inventor:
 - Loading performance of BREP models has improved
 - Added support for Inventor 2016, 2017³, and 2018⁵ files
- » Entity Attributes search enhancements for 3D formats
- » Enhancements for CATIA V5
 - Memory management enhancements
 - Added support for Catia V5-6 R2015 (R25), Catia V5-6 R2016³ (R26), Catia V5-6 R2017⁵ (R27), and Catia V5-6 R2018⁴ (R28) files
 - Improved support for projected views and text entities in Catia V5-6 2D² files
- » Enhancements for SolidEdge
 - Added support for SolidEdge ST8, ST9, and ST10² files
 - Added support for assembly features – fillets and protrusions.
 - SheetMetal visibility for 3D files
 - All the pages of the multipage SolidEdge 3D files are displayed correctly.
- » Enhancements for SolidWorks
 - Configuration Enhancements
 - In AutoVue the 2D symbols of SolidWorks 2013, 2014, and 2015 files are displayed correctly. In addition, AutoVue displays the images present in SolidWorks 2014 files as it is displayed in native application.
 - Added support for SolidWorks 2016, 2017, and 2018² files.
 - Fixed visibility for SolidWorks 3D part files³.
 - Improved color support for SolidWorks 3D files³.
 - General bug fixes
 - General bug fixes for 3D formats^{2 3 4 5}
- » Correct display of dimensions in STEP files.
- » When a DWF 3D file attribute name has more than one attribute value, AutoVue displays both attributes in the Attributes tab of the Entity Properties dialog.
- » Improved support for Unigraphics NX11 (3D only)³.
- » Improved support for snapping to geometries for 3D formats loaded from streaming files⁵.
- » General bug fixes for the following:
 - Catia V5-6 2D files³.

- Inventor 2D files³.
- ⊗ Added support for Revit⁶ 2015, 2016, 2017³, and 2018⁵
- ⊗ Added support for Unigraphics NX12 3D files⁴

3.3.2 AEC Formats

- ⊗ Enhancements for MicroStation
 - General bug fixes for MicroStation and MicroStation DGN files
 - AutoVue displays the linestyle that contains **point symbols** in the MicroStation drawing correctly.
- ⊗ Enhancements for AutoCAD
 - General bug fixes
 - Support for AutoCAD 2016, 2017, 2018⁵, and 2019⁴
 - Support for AutoCAD Mechanical 2016, 2017, 2018⁵, and 2019⁴
 - Improved display of closed polygons in AutoCAD.
 - AutoVue is now converting the AutoCAD 2010-2012 DWG files to PDF correctly.
 - Improved text formatting for AutoCAD files²
 - Improved display of Weldments entities in AutoCAD.
 - Improved fonts support for DWG files converted from SolidEdge files
- ⊗ Enhancements for DWF files
 - General bug fixes
 - AutoVue displays the data table and the associated text in DWF files created from Revit. All the pages are also being displayed with the correct text.
 - AutoVue displays the AutoDesk DWF Version 6 correctly without any additional lines (vertical, horizontal).
 - Resolved issues with loading and missing entities in DWF 2D files²⁴
- ⊗ Enhancements for CGM files
 - General bug fixes.

3.3.3 EDA Formats

- ⊗ Added support for Cadence Allegro 17.2⁵ (Allegro, Concept HDL, OrCAD)

3.3.4 Desktop/Office Formats

- ⊗ Support for Adobe Acrobat DC 2015.
- ⊗ MS Excel files open in Collaboration sessions.
- ⊗ Resolved an issue with loading of Excel XML files²
- ⊗ Resolved issues with missing header/footer in some Word XML files⁴
- ⊗ Correct display of table borders at a certain zoom level in some Word XML files⁴
- ⊗ General bug fixes for:

⁶ Format support is provided through the exchange formats DWF, DXF and DWG

- Microsoft Word
- Adobe PDF
- Microsoft Excel

3.4 Documentation Updates

All the documents can be found under "AutoVue 21.0.1" on Oracle Technology Network (OTN) <https://www.oracle.com/technetwork/documentation/autovue-091442.html>.

The following documents have been consolidated in this release:

- ⌘ Information regarding the Java API, JavaScript API, and ABV technologies is now available in one document – Oracle AutoVue API Guide.
- ⌘ Information about WebServices is consolidated in one document – Oracle WebServices Installation and Developer's Guide.
- ⌘ The Oracle AutoVue Integration Software Development Kit (ISDK) Design, Installation and Configuration Guide has all the relevant information about ISDK and also describes the procedure for building and running a dynamic Web project in JDeveloper and Eclipse IDEs for Oracle AutoVue.

3.5 De-supported INI Options

The following INI options have been de-supported:

- ⌘ DEFAULTMESHRESOLUTION
- ⌘ PROESHOWHIDDENLINEDASHED
- ⌘ PROE2DLOADPICTURE
- ⌘ PROEBACKGROUNDCOLOR

3.6 Deprecated and De-supported File Formats/Version

Oracle AutoVue has deprecated some file formats, which had very limited usage and low demand from customers.

- ⌘ Support for Outlook msg format is deprecated since Release 21.0.1
- ⌘ PROE 2D PIC files are not displayed since AutoVue 21.0.1. This format is de-supported.

3.7 Deprecated and De-supported Functionality

Oracle AutoVue will no longer support some functionalities which had very limited usage and low demand from our customers. This will allow Oracle AutoVue to focus development efforts on functionalities which are more important to our customers. The following functionalities are de-supported/deprecated in this release:

- ⌘ Streaming file generation is desupported for AutoVue Desktop Deployment.
- ⌘ AutoVue client as Applet is being deprecated.

3.8 De-supported Platforms

The following platform is de-supported:

- ⌘ Linux 5.X

3.9 Known Issues

Some of the known issues include:

- ⊠ AutoVue does not support configurations that are not saved in the SolidWorks assembly files. See KM Note: Doc ID 2154421.1 for more information.
- ⊠ AutoVue does not support native views stored in SolidEdge 3D files.
- ⊠ AutoVue does not support generating streaming files for zip files. By default, it is disabled. If users enables streaming file, validation may fail and an outdated zipped file will be displayed.
- ⊠ While analyzing the 2D AutoCAD drawing file using the Measure tool, make sure that the Pan tool is closed.
- ⊠ Enabling the Content-Security-Policy (CSP) in the html page that launches the AutoVue client (Applet -free) will break the connection between AutoVue client and the browser (Firefox, Chrome and Safari), unless it is configured properly. If you are using IE as the browser, the connection is not affected since it does not support CSP. To fix the issue, you need to add the following CSP directives to the <meta> tag: **style-src 'unsafe-inline'; script-src 'unsafe-inline' 'unsafe-eval' 'self'; connect-src https://localhost:***

An example is provided in [Example 3–1](#).

Example 3–1 Code Sample

```
<meta http-equiv="Content-Security-Policy" content="default-src ...;...; style-src 'unsafe-inline'; script-src 'unsafe-inline' 'unsafe-eval' 'self'; connect-src https://localhost:*">
```

For more information refer to the following URLs:

<https://developers.google.com/web/fundamentals/security/csp/> - An introduction and overview article.

<https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP> - More information from Mozilla.

<https://content-security-policy.com/> - The complete reference site.

- ⊠ Note that AutoVue’s Creo 2D decoder may not detect that the Display List is out-of-date in the following cases:
 - When an assembly sub-component is modified, and the root assembly file itself does not change.
 - When multiple 3D files are referenced in the 2D file, and a root file other than the default is modified.
- ⊠ AutoVue does not open the extracted zipped files in separate windows. This change in behavior caused an issue with password-protected zipped files. AutoVue failed to render the selected file in the same "primary" window. Password-protected zipped files have to be opened in separate windows in order to render their contents in AutoVue. The users need to hold the control Key and double click on the selected file from the list of the zipped files in order to view it properly.
- ⊠ The Jetty application that is installed with AutoVue is not functional. If you are using this Jetty application to deploy the online help or the VueServlet, you need to use either an up-to-date version of Jetty or another secure application server⁷.

Call Oracle support if you need help deploying the AutoVue Online Help files or the VueServlet.

Note: In order to access online help files, refer to "Configuring Online Help" in the Oracle AutoVue Installation and Configuration Guide for more information.

To deploy VueServlet, refer to "Deploying VueServlet" in the Oracle AutoVue Installation and Configuration Guide.

⁷ Customers need to download GA Patch BUGS #28215066 or #27478840 from ARU.

If you have any questions or require support for AutoVue please contact your system administrator.

If at any time you have questions or concerns regarding AutoVue, please contact us.

A.1 General AutoVue Information

Web Site <https://www.oracle.com/applications/autovue/>

Blog <https://blogs.oracle.com>

A.2 Oracle Customer Support

Web Site <https://www.oracle.com/support/>

A.3 My Oracle Support AutoVue Community

Web Site <https://community.oracle.com/hub/>

A.4 Sales Inquiries

Web Site <https://www.oracle.com/corporate/contact/global.html>
